

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Identification of the substance or mixture:

Product name : AGORA S1.2 WHITE
REACH Registration No : Registration numbers of the individual components: see section 3.2.

1.2 Use of the substance/mixture:

Identified relevant uses : Printer ink
Uses advised against : Only for professional use.

1.3 Company/undertaking identification

Agfa-Gevaert NV
Septestraat 27
2640 Mortsel
Belgium
Tel. : +32 3 4445501
Fax : +32 3 4445503
Person responsible for the safety data sheet: Jos Vanholzaets
E-mail: electronic.sds@agfa.com

1.4 Emergency telephone

Emergency telephone number : +32 3 4443333 (24h/24h)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

| Regulation(EC) No 1272/2008 (CLP) | |
|-----------------------------------|--|
| • Hazard classes | Acute toxicity Oral |
| Hazard categories | Category 4 |
| Hazard statements | H302 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Skin sensitizer |
| Hazard categories | Category 1 |
| Hazard statements | H317 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Specific target organ toxicity - repeated exposure |
| Hazard categories | Category 2 |
| Hazard statements | H373 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Chronic hazards to the aquatic environment |
| Hazard categories | Category 3 |
| Hazard statements | H412 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Toxic to reproduction |
| Hazard categories | Category 2 |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

| | |
|--------------------------|--|
| Hazard statements | H361fd |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Serious eye irritation |
| Hazard categories | Category 2 |
| Hazard statements | H319 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Specific target organ toxicity - single exposure |
| Hazard categories | Category 3 |
| Hazard statements | H335 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |
| • Hazard classes | Skin irritation |
| Hazard categories | Category 2 |
| Hazard statements | H315 |
| Classification procedure | According the classification criteria of CLP Regulation (EC) No 1272/2008. |

67/548/EEC or 1999/45/EC

| | |
|-------------------------|-------------------------------------|
| Hazards characteristics | Harmful |
| R-phrases(s) | R22, R36/37/38, R43, R48/22, R52/53 |

Full text of each relevant R and H phrase is listed in section 16.

2.2 Label elements:

Hazardous components which must be listed on the label :

- CAS-No. : 86273-46-3 2-(2-Vinyloxyethoxy) ethyl acrylate
- 75980-60-8 Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

Symbol(s)



GHS07



GHS08

Signal word : WARNING

Hazard statements : H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H315 Causes skin irritation.

Precautionary statements: general : P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P281 Use personal protective equipment as required.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3 Other hazards:

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixture related information:

Printer ink, mainly consisting of:

3.2 Hazard ingredients:

The hazard and labelling information in this section is that of the individual ingredients. The corresponding information relative to this product as supplied is given in section 2.1.

Hazardous components in the meaning of regulation(EC) No 1272/2008 (CLP)

- 2-(2-Vinyloxyethoxy) ethyl acrylate Concentration [%] : 10,0 - 20,0
CAS-No. : 86273-46-3
REACH Registration No : Transition time according to REACH regulation article 23 is still not expired.
Hazard classes : Acute toxicity Oral, Skin sensitizer, Specific target organ toxicity - repeated exposure Oral, Chronic hazards to the aquatic environment
Hazard categories : Category 4, Category 1, Category 2, Category 4
- Acrylate Concentration [%] : 60,0 - 80,0
REACH Registration No : Transition time according to REACH regulation article 23 is still not expired.
Hazard classes : Serious eye irritation, Specific target organ toxicity - single exposure Inhalation, Skin irritation, Chronic hazards to the aquatic environment
Hazard categories : Category 2, Category 3, Category 2, Category 2
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- Concentration [%] : 1,0 - 5,0
CAS-No. : 75980-60-8
EINECS-No. : 278-355-8
REACH Registration No : Transition time according to REACH regulation article 23 is still not expired.
Hazard classes : Toxic to reproduction, Chronic hazards to the aquatic environment
Hazard categories : Category 2, Category 3

Hazardous components in the meaning of 67/548/EEC or 1999/45/EC

- 2-(2-Vinyloxyethoxy) ethyl acrylate Concentration [%] : 10,0 - 20,0
CAS-No. : 86273-46-3
Symbol(s) : Xn
R-phrases) : R22, R43, R48/22
- Acrylate Concentration [%] : 60,0 - 80,0

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

- Symbol(s) : Xi, N
R-phrases) : R36/37/38, R51/53
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
Concentration [%] : 1,0 - 5,0
CAS-No. : 75980-60-8
EINECS-No. : 278-355-8
Symbol(s) : Xn
R-phrases(s) : R62, R52/53

Components with a community workplace exposure limit

- Titanium dioxide

3.3 Remark:

Full text of each relevant R and H phrase is listed in section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures:

- Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- Skin contact : Take off all contaminated clothing immediately. Rinse with plenty of water. Call a physician immediately.
- Ingestion : Let drink 1 glass of water if victim is conscious. Do not induce vomiting. Call a physician immediately.
- Inhalation : Take person to fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician immediately.

4.2 Most important symptoms and effects:

- Symptoms : Repeated contact may cause allergic reactions in very susceptible persons. In normal conditions of use, no adverse effects are expected.

4.3 Indication of immediate medical attention and special treatment needed:

- General advice : Call a physician immediately.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media : Dry extinguishing powder., Water spray., Carbon dioxide (CO₂)., Foam.
- Extinguishing media which must not be used for safety reasons : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture:

- Specific hazards during fire fighting : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.
- Further information : At a fire in the surrounding area, cool down the vessels with water or if possible withdraw them from the fire.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

5.3 Advice for fire-fighters:

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use cold water spray to cool fire-exposed containers to minimize the risk of rupture.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Personal precautions : Cleanup personnel must use appropriate personal protective equipment.
Additional advice : Keep away from heat or open flame. Take measures to prevent the build up of electrostatic charge.

6.2 Environmental precautions:

Environmental precautions : Prevent release into the drain, soil or surface water.

6.3 Methods and material for containment and cleaning up:

Methods for cleaning up : If spill occurs, apply a suitable absorbent material and collect into an impervious waste container. Wash away residues with plenty of water.

6.4 Reference to other sections:

For waste disposal see section 13.
For personal protection see section 8.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Hygiene measures : When using do not eat or drink. Avoid ingestion, inhalation, skin and eye contact.
Advice on protection against fire and explosion : Avoid heat or open flame. Use fire-proof electrical material. All parts of the installation should be earthed carefully.

7.2 Conditions for safe storage:

Requirements for storage areas and containers : No naked lights. No smoking. Keep in a well-ventilated place. Protect from direct sunlight. Keep container tightly closed. Do not collect the product in an iron vessel. Take precautionary measures against static discharges.
Further information on storage conditions : Keep container in a well-ventilated place.
Advice on common storage : Store away from strong oxidizing agents. Store away from acids. Store away from alkali.

7.3 Specific end use:

This substance is used only by trained professionals under restricted conditions.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters:

8.1.1 Components with occupational exposure limits resp. biological occupational exposure limits requiring monitoring:

8.1.1.1 Occupational exposure limits:

Air limit values

We are not aware of any national exposure limit.

Biological limit values

We are not aware of any national exposure limit.

8.1.1.2 Additional exposure limits under the conditions of use:

No other exposure limits applicable.

8.1.1.3 DNEL/DMEL and PNEC-values:

DNEL

No Chemical Safety Report performed. No DNEL/DMEL value determined.

PNEC

No Chemical Safety Report performed. No PNEC value determined.

8.2 Exposure controls:

Occupational exposure controls:

➤ Instructual measures to prevent exposure:

Employees should wash their hands and face before eating, drinking, or using tobacco products. Keep away from foodstuffs, drinks and tobacco.

➤ Technical measures to prevent exposure:

Ensure adequate ventilation.

➤ Personal measures to prevent exposure:

- | | | |
|------------------------|---|--|
| Respiratory protection | : | Breathing equipment A-filter. |
| Hand protection | : | Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials: butylrubber (thickness \geq 0.70 mm, breakthrough time $>$ 480 min).(EN 374). The use of protective gloves should conform to the specifications of EC directive 89/686/EC and the resultant standard EN374, for example KCL 898 Butoject (full contact), KCL 890 Vito Ject (splash contact). Additional advice: The data are based on own tests, literature data and information of glove manufacturers or derived from similar substances. Because several factors may influence these properties(eg temperature), one should take into account the fact that the life of a chemical gloves in practice may be considerably shorter than indicated by the permeation test. The high diversity of types of use are prescribed by the manufacturer. |
| Eye protection | : | Safety glasses. |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

Body Protection : Safety clothes.
Personal protective equipment : Observe normal precautions when handling chemicals.

Environmental exposure controls:

Do not release into drain. Collect for removal by a licensed waste contractor. Effluent regulations/dischARGE/treatment/contents may vary from one area to another. Please consult the local regulations regarding the disposal of this material.

| EU Directive | Status |
|---------------------------------------|-------------|
| European Directive 2000/60/EC (water) | not on list |
| European Directive 1996/62/EC (air) | not on list |

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties:

9.1.1 Appearance:

State of matter : liquid
Form : Liquid.
Colour : White.
Odour : Smell of esters
Odour threshold : No data available

9.1.2 Important health, safety and environmental information:

pH : Not applicable
Melting point/range : No data available
Boiling point/range : No data available
Flash point : No data available
Autoignition temperature : No data available
Vapour pressure : No data available
Relative vapour density : No data available
Relative density : No data available
Solubility/qualitative : No data available
Water solubility : No data available
Viscosity, kinematic : No data available
Lower explosion limit : No data available
Upper explosion limit : No data available
Evaporation rate : No data available
Flammability (solid, gas) : no data available

9.2 Other information:

Solubility : No data available
Ignition temperature : no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity:

Reactivity : Reactivity is not to be expected under normal conditions of temperature and pressure

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

10.2 Chemical stability:

Stability : Substance may undergo hazardous polymerization if stored at temperatures above 40°C or in the presence of oxygen under 7 vol%.

10.3 Possibility of hazardous reactions:

Hazardous reactions : Hazardous polymerization may occur if contaminated with heating, direct sunlight, iron, peroxide or acid.

10.4 Conditions to avoid:

Conditions to avoid : Heat, flames and sparks.

10.5 Materials to avoid:

Materials to avoid : Strong oxidants, peroxides, acids and iron.

10.6 Hazardous decomposition products:

Hazardous decomposition products : Toxic and irritating gases/fumes may be given off during burning or thermal decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicokinetics, metabolism and distribution:

- 2-(2-Vinyloxyethoxy) ethyl acrylate
No data available
- Acrylate
No data available
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

Acute effects (toxicity tests):

➤ Acute Toxicity

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| | Effect dose | Species | Value | Method |
|---------------------------|-------------|---------|--------------------|-------------------------|
| Acute oral toxicity | LD50 | rat | 1.790 mg/kg | OECD Test Guideline 401 |
| Acute oral toxicity | LD50 | rat | 2.026 mg/kg | OECD Test Guideline 401 |
| Acute oral toxicity | LD50 | rat | 300 to 2.000 mg/kg | |
| Acute dermal toxicity | LD50 | rat | > 2.000 mg/kg | OECD Test Guideline 402 |
| Acute inhalation toxicity | LC50 | rat | 5,82 mg/l/ 4 h | OECD Test Guideline 403 |

- Acrylate

| | Effect dose | Species | Value | Method |
|--|-------------|---------|-------|--------|
|--|-------------|---------|-------|--------|

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

| | | | |
|---------------------------|-------------------|--------|---------------|
| Acute oral toxicity | LD50 | rat | 4.600 mg/kg |
| Acute dermal toxicity | LD50 | rabbit | > 2.000 mg/kg |
| Acute inhalation toxicity | No data available | | |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| | Effect dose | Species | Value | Method |
|---------------------------|-------------------|---------|---------------|--------|
| Acute oral toxicity | LD50 | rat | > 2.000 mg/kg | |
| Acute dermal toxicity | No data available | | | |
| Acute inhalation toxicity | No data available | | | |

> Specific target organ toxicity (STOT):

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Specific effects | Affected organs |
|-------------------|-----------------|
| No data available | |

- Acrylate

| Specific effects | Affected organs |
|-------------------|-----------------|
| No data available | |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| Specific effects | Affected organs |
|-------------------|-----------------|
| No data available | |

> Irritant and corrosive effects:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| | Exposure time | Species | Evaluation | Method |
|--------------------------------|---------------|---------|--------------------------|-------------------------|
| Primary irritation to the skin | | rabbit | Moderate skin irritation | OECD Test Guideline 404 |
| Irritation to eyes | | rabbit | No eye irritation | OECD Test Guideline 405 |

- Acrylate

| | Exposure time | Species | Evaluation | Method |
|--------------------------------|-------------------|---------|------------|--------|
| Primary irritation to the skin | No data available | | | |
| Irritation to eyes | No data available | | | |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| | Exposure time | Species | Evaluation | Method |
|---|---------------|---------|--------------------|-------------|
| Primary irritation to the skin | | rabbit | No skin irritation | Literature. |
| Based on available data, the classification criteria are not met. | | | | |
| Irritation to eyes | | rabbit | No eye irritation | Literature. |
| Based on available data, the classification criteria are not met. | | | | |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

➤ Irritation to the respiratory tract:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

No data available

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

➤ Sensitisation:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Species | Evaluation | Method |
|---------|--|-----------------------------|
| mouse | May cause sensitisation by skin contact. | Mouse local lymphoma assay. |

- Acrylate

| Species | Evaluation | Method |
|---------|-------------------|--------|
| | No data available | |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| Species | Evaluation | Method |
|---------|-------------------|--------|
| | No data available | |

➤ Aspiration hazard:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

No data available

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

Sub-acute, sub-chronic and chronic toxicity

➤ Repeated dose toxicity:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| | Effect dose | Value | Exposure time | Species |
|---------------------------------|-------------|-----------|---------------|---------|
| Sub-acute oral | NOEL | 160 mg/kg | 28-day | rat |
| Method: OECD Test Guideline 407 | | | | |

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

➤ Specific target organ toxicity (STOT):

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Repeated exposure | Specific effects | Affected organs |
|-------------------|------------------|-----------------|
| | | |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

Sub-acute oral

Meets the criteria of 3.9.2 of CLP-Regulation (EC) No.1272/2008.

- Acrylate
No information available.
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No information available.

➤ **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**

- **Carcinogenicity**

- 2-(2-Vinyloxyethoxy) ethyl acrylate
No tumors were reported in mice following long-term dermal application.
- Acrylate
No data available
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

- **Mutagenicity**

- 2-(2-Vinyloxyethoxy) ethyl acrylate
There is no evidence for mutagenicity from studies in animals.
- Acrylate
No data available
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

- **Genetic toxicity in vitro**

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Type | Test system | Concentration | Result |
|--|--|---------------|----------|
| Ames test | Escherichia coli WP2 uvr A; Salmonella typhimurium TA98, TA100, TA535, TA1537 Method: Mutagenicity (Escherichia coli - reverse mutation assay) | | negative |
| Chromosome aberration test in vitro | Chinese hamster lung cells Method: Mutagenicity (in vitro mammalian cytogenetic test) | | negative |

- Acrylate
No data available
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

- **Genetic toxicity in vivo**

- 2-(2-Vinyloxyethoxy) ethyl acrylate
No data available
- Acrylate
No data available
- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

| Route of exposure | Species | Exposure time | Result |
|-------------------|---|---------------|--------|
| Oral | rat (males) Method: Literature. Based on available data, the classification criteria are not met. | | |

- Teratogenicity

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Route of exposure | Species | Exposure time |
|-------------------|--|---------------|
| Oral | rat Method: Directive 92/32/EEC, Annex V, B.31. | 28-day |

- Acrylate
No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

- Toxicity to reproduction

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Route of exposure | Species | Exposure time |
|-------------------|--------------------------------------|---------------|
| Oral | rat Method: OECD-Guideline No.422 | |

- Acrylate
No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| Route of exposure | Species | Exposure time |
|-------------------|--|---------------|
| Oral | rat (male) Reproductive effects have been observed in animal studies. | |

> Summarised evaluation of the CMR properties:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

Carcinogenicity : Did not show carcinogenic effects in animal experiments.
Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Not mutagenic in AMES Test.
Teratogenicity : Animal testing did not show any effects on foetal development.
Toxicity to reproduction : Animal testing did not show any effects on fertility.

Experiences made in practice:

- 2-(2-Vinyloxyethoxy) ethyl acrylate
May be harmful by inhalation, ingestion, skin adsorption.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| | Effect dose | Exposure time | Species | Value |
|------------------|-------------|---------------|---|----------|
| Toxicity to fish | LC50 | 96 h | Brachidanio rerio (zebra fish) Method: OECD Test Guideline 203 | 6,8 mg/l |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

| | | | |
|----------------------|--|---------------------------------|-----------|
| Toxicity to fish | NOEC 96 h | Brachidanio rerio (zebra fish) | 2,2 mg/l |
| | Method: OECD Test Guideline 203 | | |
| Toxicity to fish | LC100 96 h | Brachidanio rerio (zebra fish) | 10 mg/l |
| | Method: OECD Test Guideline 203 | | |
| Toxicity to daphnia | EC50 48 h | Daphnia magna | 55 mg/l |
| | Method: OECD Test Guideline 202 | | |
| Toxicity to daphnia | EC100 48 h | Daphnia magna | 100 mg/l |
| | Method: OECD Test Guideline 202 | | |
| Toxicity to daphnia | NOEC 48 h | Daphnia magna | 25 mg/l |
| | Method: OECD Test Guideline 202 | | |
| Toxicity to algae | EC50 72 h | Scenedesmus subspicatus (algae) | 5 mg/l |
| | Method: OECD Test Guideline 201 | | |
| Toxicity to algae | NOEC 72 h | scenedesmus subspicatus | 0,78 mg/l |
| | Method: OECD Test Guideline 201 | | |
| Toxicity to algae | LOEC 72 h | scenedesmus subspicatus | 2,7 mg/l |
| | Method: OECD Test Guideline 201 | | |
| Toxicity to bacteria | IC50 3 h | | 741 mg/l |
| | Method: OECD-Guideline No.209; 88/302/EEC C.11 | | |

- Acrylate

| | Effect dose | Exposure time | Species | Value |
|----------------------|-------------------|---------------|---------------------------------|------------|
| Toxicity to fish | LC50 | 96 h | Leuciscus idus (golden orfe) | > 2,1 mg/l |
| Toxicity to daphnia | EC50 | 48 h | Daphnia magna (water flea) | 22 mg/l |
| Toxicity to algae | EC50 | 72 h | Scenedesmus subspicatus (algae) | 16,7 mg/l |
| Toxicity to bacteria | No data available | | | |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| | Effect dose | Exposure time | Species | Value |
|----------------------|-------------|---------------|------------------------------|---------------|
| Toxicity to fish | LC50 | 96 h | Leuciscus idus (golden orfe) | < 100,00 mg/l |
| Toxicity to daphnia | EC0 | 48 h | Daphnia magna (water flea) | < 100,00 mg/l |
| Toxicity to algae | EC50 | 72 h | Algae | < 100 mg/l |
| Toxicity to bacteria | EC50 | 17 h | Bacteria | > 500,00 mg/l |

12.2 Persistence and degradability:

Physico-chemical removability

- 2-(2-Vinyloxyethoxy) ethyl acrylate

The product can be degraded by abiotic (e.g. chemical or photolytic) processes.

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

Chemical Oxygen Demand (COD)

- 2-(2-Vinyloxyethoxy) ethyl acrylate

No data available

- Acrylate

No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

Adsorbed organic bound halogens (AOX)

- 2-(2-Vinyloxyethoxy) ethyl acrylate
Product does not contain any organic halogens.

- Acrylate
Product does not contain any organic halogens.

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

Biodegradation

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Value | Exposure time | Method | Evaluation |
|-------|---------------|------------------------|------------------------|
| | | OECD-Guideline No.301C | Readily biodegradable. |

- Acrylate
No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

Biochemical Oxygen Demand (BOD)

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Concentration | Incubation time | Value | Method |
|---------------|-----------------|-----------|------------------------|
| | | 82,1 mg/g | OECD-Guideline No.301C |

- Acrylate
No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

12.3 Bioaccumulative potential:

Partition coefficient (n-octanol/water)

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Value | pH | °C | Method |
|--------------|----|----|--|
| log Pow: 1,7 | | | Tested according to Directive 92/69/EEC. |

- Acrylate
No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-
No data available

Bioconcentration factor (BCF)

- 2-(2-Vinyloxyethoxy) ethyl acrylate
Bioaccumulation is unlikely.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

12.4 Mobility in soil:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

This product will show high soil mobility and will be degraded through hydrolysis from the ambient atmosphere with a half-life of 1.8 hr (at pH=4), 200 hr (at pH=7) and 67 hr (at pH=9).

- Acrylate

No information available.

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No information available.

Henry's constant

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Value | Temperature | Method |
|-------|-------------|---------------------------|
| | | No information available. |

- Acrylate

| Value | Temperature | Method |
|-------|-------------|---------------------------|
| | | No information available. |

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

| Value | Temperature | Method |
|-------|-------------|---------------------------|
| | | No information available. |

Transport between environmental compartments

- 2-(2-Vinyloxyethoxy) ethyl acrylate

| Type | Medium | Value | Method |
|---|--------|---------|--|
| | | Koc: 15 | OECD-Guideline No.121, 2001/59/EEC C.19 |
| Transport between environmental compartments can be expected. | | | |

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

12.5 Results of PBT and vPvB assessment:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

This product does not meet the criteria concerning PBT or vPvB substances as described in Annex XIII of the REACH regulation (1907/2006 EC)

- Acrylate

No data available

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

12.6 Other adverse effects:

- 2-(2-Vinyloxyethoxy) ethyl acrylate

When properly applied, negative effects on the functionality of waste treatment plants are not expected. Avoid infiltration in to drinking supplies, waste water or soil.

- Acrylate

No information available.

- Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Waste disposal methods

Do not release into drain. Collect for removal by a licensed waste contractor. Effluent regulations/dischARGE/treatment/contents may vary from one area to another. Please consult the local regulations regarding the disposal of this material.

Empty containers.

Uncontrolled disposal or recycling of this packaging is not permitted and can be dangerous.

For waste resulting from this product, it is recommended to use European Waste Code : 08 03 13 (waste ink other than those mentioned in 08 03 12).

14. TRANSPORT INFORMATION

Not regulated according to ADR.

Not regulated according to ADNR.

Not regulated according to RID.

Not regulated according to IMO/IMDG.

Not regulated according to ICAO/IATA aircraft only.

Not regulated according to ICAO/IATA passenger and cargo aircraft.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Authorisation and/or restriction on use

Authorisation : No

Restriction on use : Not listed on EU. REACH, Annex XVII, Restrictions on manufacture, placing on the market and use of certain dangerous substances, mixtures & articles (Reg 1907/2006/EC, as amended)

Other EU regulations

Does not fall under specific EU-Regulations.

15.2 Chemical Safety Assessment

No Chemical Safety Report needed according REACH.

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

16. OTHER INFORMATION

Text of H-phrases referred to under headings 2 and 3:

| | |
|--------|--|
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H361fd | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H412 | Harmful to aquatic life with long lasting effects. |

Text of R-phrases referred to under headings 2 and 3:

| | |
|-----------|---|
| R22 | Harmful if swallowed. |
| R36/37/38 | Irritating to eyes, respiratory system and skin. |
| R43 | May cause sensitization by skin contact. |
| R48/22 | Harmful: danger of serious damage to health by prolonged exposure if swallowed. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R62 | Possible risk of impaired fertility. |

Further information

The information disclosed in this Safety Data Sheet is believed to be correct to the best of our current knowledge and experience. It only relates to the specific product designated herein and it may not be valid when said product is used in combination with any other material or in any process, unless specified in the text. This document aims to provide the necessary health and safety information of the product and is not to be considered a warranty or quality specification. It is the responsibility of the user to comply with local legislation relating to safety, health, environment and waste management.

Sources of key data used to compile the datasheet

Handbuch der gefährlichen Güter, Hommel.
The Dictionary of Substances and their Effects, Royal Society of Chemistry.
Gefährliche Chemische Reaktionen, L.Roth und U.Weller.
Handbuch der Umweltgifte, Dauderer.
Chemiekaarten, latest version.
Safety Data Sheet from the supplier.

Abbreviations

| | |
|---------|---|
| ADR: | Accord européen relatif au transport international des marchandises Dangereuses par Route |
| ADNR: | Accord européen relatif au transport international des marchandises Dangereuses par la Rhin |
| AGW: | Arbeitsplatzgrenzwerte (GE) |
| ATEmix: | Acute toxicity estimate of the mixture |
| CLP: | Classification, Labelling and Packaging of substances and mixtures |
| CMR: | Carcinoge |
| DNEL: | Derived No Effect Level |

SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH Annex II)



AGORA S1.2 WHITE

SUBID : 000001012273

Version

Print Date 05.09.2011

Revision Date 00.00.0000

| | |
|-----------|---|
| EC0: | Effective Concentration 0% |
| EC5: | Effective Concentration 5% |
| EC10: | Effective Concentration 10% |
| EC50: | Median Effective Concentration |
| EC100: | Effective Concentration 100% |
| EH40 WEL: | Workplace Exposure Limit (UK) |
| IATA: | International Air Transport Association |
| ICAO: | International Civil Aviation Organization |
| IC50: | inhibitory concentration 50% |
| IMDG: | International Maritime Dangerous Goods |
| IMO: | International Maritime Organization |
| IUCLID: | International Uniform Chemical Information Database |
| LC50: | Lethal Concentration 50% |
| LC100: | Lethal Concentration 100% |
| LOAEL: | Lowest Observed Adverse Effect Level |
| LDL0 | Lethal Dose (minimum found to be lethal) |
| LD50: | Lethal Dose 50% |
| MAC: | Maximaal Aanvaardbare Concentratie (NL) |
| MAK: | Maximale Arbeitsplatz-Konzentration |
| NOAEL: | No Observed Adverse Effect Level |
| NOEL: | No Observed Effect Level |
| NOEC: | No Observed Effect Concentration |
| OEL: | Occupational Exposure Limit |
| PBT: | Persistent, Bioaccumulative and Toxic substance |
| PNEC: | Predicted No Effect Concentration |
| REACH: | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID: | Regulations concerning the International Transport of Dangerous Goods by Rail |
| STEL: | Short Term Exposure Limit |
| TLV: | Threshold Limit Value |
| TRGS900: | Arbeitsplatzgrenswerte (GE) |
| TWA: | Time Weighted Average |
| VOC: | Volatile Organic Compound |
| vPvB: | very Persistent and very Bioaccumulative substance |