

SAFETY DATA SHEET

1. Identification of the substance or mixture and of the supplier

Product identifier

Product name: Multi-Tech Thickener Paste
110-115

Recommended use and restriction on use

Recommended use: Not determined.
Restrictions on use: Not determined.

Manufactured For:

Multi-Tech
5101 Penrose St.
St. Louis, MO 63115

Telephone: 314-382-9300

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC 800-424-9300

2. Hazards Identification

Classification of the substance or mixture

Prepared according to Global Harmonized System (GHS) standards.

Not classified

Label Elements Not applicable
Other hazards which do not result in GHS classification: None identified.

3. Composition/Information on Ingredients

Mixtures

Chemical name	CAS number	Percent by Weight
Mineral oil	Not determined.	40 - 50%
Calcium sulfonate	61789-86-4	0.1 - 0.5%

The mineral oil contained in this material may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, and 64742-56-9.

4. First aid measures

Description of first aid measures

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Eye contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur. Launder contaminated clothing before reuse.

Ingestion: Treat symptomatically. Get medical attention.

Most important symptoms and effects, both acute and delayed: See section 11.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: Do not use a water jet.

Extinguishing media

Suitable extinguishing media: CO₂, Dry chemical or Foam. Water can be used to cool and protect exposed material.

Unsuitable extinguishing media: Not determined.

Specific hazard arising from the chemical: See section 10 for additional information. Water may cause splattering.

Advice for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Recommend wearing self-contained breathing apparatus.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas.

Environmental Precautions: Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up: Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. If liquid is too viscous for pumping, scrape it up. Collect for salvage or disposal.

Reference to other sections: See sections 8 and 13 for additional information.

7. Handling and Storage:

Precautions for safe handling: Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Avoid heat, sparks, open flames and other ignition sources.

Maximum Handling Temperature: Not determined.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. See section 10 for incompatible materials. Keep containers closed when not in use.

Maximum Storage Temperature:

Not determined.

8. Exposure Controls/Personal Protection

Control Parameters:

Occupational Exposure Limits

Chemical name	Type	Exposure Limit Values	Source
Mineral oil - Inhalable fraction.	TWA	5 mg/m ³	US. ACGIH Threshold Limit Values (02 2012)

Appropriate engineering controls:

Use material in well ventilated area only. Adequate ventilation should be provided so that exposure limits are not exceeded. Mechanical ventilation or local exhaust ventilation may be required.

Individual protection measures, such as personal protective equipment

General information:

Use personal protective equipment as required.

Eye/face protection:

If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand Protection:

Use nitrile or neoprene gloves. Use good industrial hygiene practices. In case of skin contact, wash hands and arms with soap and water.

Other:

Long sleeve shirt is recommended.

Respiratory Protection:

Use respirator with an organic vapor cartridge if exposure limit is exceeded. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical State:

Liquid

Form:

Gel

Color:

Light brown

Odor:

Slight

Odor Threshold:

No data available.

pH:

No data available.

Freezing point:

No data available.

Boiling Point:

No data available.

Flash Point:

> 120 °C (Pensky-Martens Closed Cup)

Evaporation Rate:	< 1 n-butyl acetate=1
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density (air=1):	No data available.
Relative density:	1,04 - 1,1 (15,6 °C)
Solubility(ies)	
Solubility in Water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Viscosity:	> 40 000 mPa.s (25 °C);
Explosive properties:	No data available.
Oxidizing properties:	No data available.
Pour Point Temperature	No data available.
Other information	
VOC Content:	< 7 %
Bulk Density:	Approximate 8,78 lb/gal (25 °C)
Percent Solid:	> 93 % (Percent by Weight)
Percent volatile:	< 7 % (Percent by Weight)

10. Stability and Reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	Will not occur.
Conditions to Avoid:	Do not expose to excessive heat, ignition sources, or oxidizing materials.
Incompatible Materials:	Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological Information

Information on likely routes of exposure

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute Toxicity

Oral

Product: Not classified for acute toxicity based on available data.
Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

Product: Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Classification: Not irritating (Measured); Rabbit. Not expected to be a primary skin irritant.
Remarks: Not classified as a primary skin irritant.
Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

Mineral oil Classification: Not a skin sensitizer. (Read across) Not a skin sensitizer.

Calcium sulfonate Classification: Skin sensitizer (Read across) May cause sensitization by skin contact.

Specific Target Organ Toxicity - Single Exposure:

Mineral oil If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Calcium sulfonate Nose, throat and lung irritant.

Aspiration Hazard:

Mineral oil Material can be aspirated into the lungs during the act of swallowing or vomiting. This could result in severe injury to the lungs and death.

Chronic Effects

Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. Diisononyl phthalate: A chronic dietary study in the rat resulted in an increased incidence of liver tumors.

Germ Cell Mutagenicity:

No data available

Reproductive Toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:
No data available

12. Ecological Information

Ecotoxicity

Fish

Mineral oil	LC 50 (Fathead Minnow, 4 d): > 100 mg/l
Calcium sulfonate	LC 50 (Fathead Minnow, 4 h): > 1 000 mg/l LC 50 (Sheepshead Minnow, 4 h): > 10 000 mg/l

Aquatic Invertebrates

Mineral oil	LC 50 (Water flea (Daphnia magna), 2 d): > 10 000 mg/l LC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): > 10 mg/l
Calcium sulfonate	EC 50 (Water flea (Daphnia magna), 2 d): > 1 000 mg/l

Toxicity to Aquatic Plants

Mineral oil	EC 50 (Green algae (Scenedesmus quadricauda), 3 Days): > 100 mg/l
Calcium sulfonate	LC 50 (Green algae (selenastrum capricomutum), 4 h): 1 000 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

Calcium sulfonate	LC 50 (Sludge, 0,1 h): > 10 000 mg/l
-------------------	--------------------------------------

Persistence and Degradability

Biodegradation

Mineral oil	OECD TG 301 B, 31 %, 28 d, Not readily degradable.
Calcium sulfonate	OECD TG 301 D, 8 %, 28 d, Not readily degradable.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)

Calcium sulfonate	Log Kow: 10,88 (Read across)
-------------------	------------------------------

Mobility:

No data available

Other Adverse Effects:

No data available.

13. Disposal Considerations

- Disposal methods:** Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Since emptied containers retain product residue, follow label warnings even after container is emptied. Empty containers retain material residue. Do not cut, weld, braze, solder, drill, grind or expose containers to heat, flame, spark or other sources of ignition.
- Contaminated Packaging:** Container packaging may exhibit hazards.

14. Transport Information

IATA
Not regulated.

ADR
Not regulated.

International standards

IMDG
Not regulated.

Code of Emergency Measure:

Domestic Standard: In compliance with domestic law.

Environmental hazards: Not regulated.

Special precautions for user: No special precautions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

None known.

Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Inventory Status

Australia (AICS)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSL/NDSL)

All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACH)

To obtain information on the REACH compliance status of this product, please call 314-382-9300

Japan (ENCS)

All components are in compliance with the Chemical Substances Control Law of Japan.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

United States (TSCA)

All components of this material are on the US TSCA Inventory.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

16. Other Information


Key literature references and sources for data: Internal company data and other publically available resources.

HMIS Hazard ID

Health	0
Flammability	1
Physical Hazards	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date: 12.02.2015

Disclaimer: As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.